



LUXUR

LUXE COLLECTION



LUXE TEAK - LCP 01





LUXE CLASSIC OAK - LCP 02





LUXE HICKORY - LCP 03





LUXE DARK WALNUT - LCP 04





LUXE GREY - LCP 05





LUXE PINE OAK - LCU 01





LUXE SLATE OAK - LCU 02





LUXE SILVER OAK - LCU 03





LUXE ROYAL OAK - LCU 04










LUXE TEAK - LCU 05



NORMAL JOINT SERIES



U GROOVE SERIES



LAMINATED FLOORING COLLECTION
TECHNICAL SPECIFICATIONS

Product Size		1215 x 197 x 8mm		
Grade		AC4		
Surface		Matt Finish		
Density of HDF		808±30kgs/m³		
Product Quality				
Standard: EN 13329				
Dimension	thickness	8,3 ± 0,50 mm T max - T min ≤ 0,50 mm		
	length	1215.0 ± 0,30mm L max - L min ≤ 0,20 mm		
	width	197.0± 0,10 mm W max - W min ≤ 0,20 mm		
Dimension tolerances				
Characteristic		Requirement	Test Method	
Sqaureness		q max.≤0.20mm	EN 13329	
Straightness		S max.≤0.30mm /m	EN 13329	
Flatness Crosswise		F w ,conkav: ≤ 0,15 % F w ,convex: ≤ 0,20%	EN 13329	
Flatness Length		F l ,conkav: ≤ 0,50% F l ,convex: ≤ 1,00 %	EN 13329	
Openings between Elements		average: ≤ 0,15 mm max.: ≤ 0,20 mm	EN 13329	
Height Difference between Elements		average: ≤ 0,10 mm max.: ≤ 0,15 mm	EN 13329	
Classification requirements+ level of use +surface test				
CLASS		Level of Use	Test Method	
Abrasion Resistance		AC4 (≥ 4000 Umdr.)	EN 13329	
Impact Resistance		Ic1 (> 8 n / > 1000 mm)	EN 13329	
Effect of a Furniture Leg		No damage shall be visible when tested with foot type 0	EN 424	
Resistance to Staining	Groups1 and 2	grade 5	EN 438	
	Group 3	≥grade 4		
Effect of a Castor Chair		no change in appearance or damage, as defined in EN 425	EN 425	
Thickness Swelling		≤ 18 %	EN 13329	
Surface Soundness		≥1,00 N/mm	EN 13329	
Light Fastness	blue wool scale ,not worse than 6		EN 20105-B02	
	Grey scale ,not worse than 4		EN 20105-A02	
Environmental Characteristics				
Emission of Formaldehyde		Class E1(≤8mg/100g)	EN 120	
		Class E1(≤0.124mg/m)	EN 717	
Certificates				
Floorscore Certificate		CE Certificate	Quality Management System	SGS Certificate
				

Mumbai

Luxur interior Pvt Ltd
Lá OPULENCE, Gala no - 33H, Laxmi industrial estate
New Link Road Andheri West Mumbai 400053

Bengaluru

Luxur interior Pvt Ltd
41/1 Upkar mansion R.V. Road Basavanagudi
Bengaluru- 560004

Hyderabad

Floor Concepts
5th floor- Disha Banjara Above mirror saloon Road
No 12 Banjara Hills
Hyderabad -34 Telangana

Pune

Luxur interior Pvt Ltd
Warehouse: 625, market yard Next to
Rajasthan pedhi Opp Ambedkar nagar
Pune- 411037