

VITO FLOOR™

FLOORING | CLADDING | CARPETS

Desoma

FLOCKING CARPET



Wood



Beige
1757011



Tan
1757012



Blue
015001

Beige ★
015011


Light Blue ★
015023

Light Grey ★
015005

Dark Grey ★
015006

Anthracite
015008





Light Grey ★
290005



Dark Grey ★
290001



Nebula




Dark Brown ★
1625140



Dark Blue ★
1625110



Grey ★
1625060



Orange ★
1625150

SPECIFICATION

Product	Flocking Carpet
Construction	Level Loop
Pile Fibre	100% Nylon 66 Fibre
Pile Density	80 million Fibres per m2
Tile Dimension	50 x 50cm / 15 x 100cm (Wood)
Tile Thickness:	5mm ± 0.5mm
Weight	5kg/m2
Backing	PVC with Fibreglass
Dimensional Stability	0.1%
Anti Static	2kv
Anti Microbial Activity Assessment	99.90%
Light Fastness	5
Rubbing Fastness	4
Water Fastness	4
Flame Retardant	B1
TVOC	0.5mg/m2 h (Class A)
Backing Delamination Strength	50N

VITO FLOOR™
FLOORING | CLADDING | CARPETS

Specifications are subject to manufacturing tolerances and may be changed without prior notice. Product may vary in colour from sample and between production lots. Images shown in e-catalog are for reference only and may not represent the actual color of product. All product purchases are subject to Vitofloor Standard Terms & Conditions of Sale. Please refer to our Technical Information Manual, Maintenance Guide & Warranty Guide for further clarification. © Vitofloor